

Journal of Magnetic Resonance

EDITOR: Wallace S. Brey, Jr.

EDITORIAL BOARD:

E. Raymond Andrew	David M. Grant	Ralph Livingston
Edwin D. Becker	R. K. Harris	Bruce McGarvey
A. David Buckingham	K. H. Hausser	Rex E. Richards
S. M. Castellano	Paul S. Hubbard	Max T. Rogers
B. P. Dailey	Charles S. Johnson, Jr.	Thomas A. Scott
P. Diehl	J. Jonas	Bernard L. Shapiro
Richard Ernst	Masaji Kubo	J. B. Stothers
Ray Freeman	George C. Levy	Robert L. Vold

Volume 23, 1976



ACADEMIC PRESS
New York and London

A Subsidiary of Harcourt Brace Jovanovich, Publishers

Copyright © 1976 by Academic Press, Inc.

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

Made in Great Britain

CONTENTS OF VOLUME 23

NUMBER 1, JULY 1976

J. N. HERAK, DUBRAVKA KRILOV, AND C. A. MCDOWELL. ENDOR Study of the Stable Radicals in γ - or X-Ray-Irradiated Single Crystal of Deoxycytidine-5'-Phosphate	1
N. J. KOOLE AND M. J. A. DE BIE. The Determination of Signs and Magnitudes of ^{13}C - ^1H Coupling Constants in Some Monosubstituted Allenes.	9
REINHARD GERHARDS AND WOLFGANG DIETRICH. The Analysis of Spin-Lattice Relaxation Time Experiments	21
T. E. GOUGH AND R. PUZIC. An Electron Spin Resonance Study of Stable Benzimidazole-3-oxyl-1-oxide Free Radicals	31
DANIEL G. ONDERCIN, PAUL D. SULLIVAN, E. VAN DER DRIFT, W. J. VAN DEN HOEK, B. ROUSSEEUW, AND J. SMIDT. ESR Study of the Steric and Spin Density Effects on the Radicals Derived from 4-Alkoxy-2,3,5,6-Tetramethylphenols	39
JOSEPH S. CHALMERS AND PETER W. FRANCE. g -Tensor Anisotropy of DPPH in DDPH_2	51
TARO EGUCHI, GEN SODA, AND HIDEAKI CHIHARA. Molecular Motion and Polymorphic Forms in Cyclohexanol as Studied by Nuclear Magnetic Resonance	55
JOSEPH J. H. ACKERMAN AND GARY E. MACIEL. Improved Broadband NMR Spectrometer Scheme	67
BARRY A. COLES. On-Line Computation of NMR Relaxation Data	71
M. THOMAS JONES. An ESR Study of the [16]Annulene Anion Radical. A Thermally Accessible Excited Electronic State	77
C. RAMASASTRY AND C. S. SUNANDANA. ESR of Copper-Doped KHSO_4 Crystals	87
JOHN D. GRAHAM AND RALPH H. HANNON. Spin-Lattice Relaxation, Phase Transitions, and Molecular Freedom in Choline Chloride and Iodide	97
M. R. SMITH, H. A. BUCKMASTER, AND D. J. I. FRY. Determination of EPR Spin-Hamiltonian Parameters from Experimental Data	103
ROBIN L. ARMSTRONG, J. A. J. LOURENS, AND KENNETH R. JEFFREY. Proton Magnetic Relaxation Study of Molecular Reorientation in NH_4ReO_4	115
C. LAPRAY, A. BRIGUET, J. C. DUPLAN, AND J. DELMAU. Digital Programming of Relaxation Studies on a cw Spectrometer	129

HENRIK BILDSØE, JENS PETER JACOBSEN, AND KJELD SCHAUMBURG. Application of Density Matrix Formalism in NMR Spectroscopy. I. Development of a Calculation Scheme and Some Simple Examples	137
JENS PETER JACOBSEN, HENRIK K. BILDSØE, AND KJELD SCHAUMBURG. Application of Density Matrix Formalism in NMR Spectroscopy. II. The One-Spin-1 Case in Anisotropic Phase	153
COMMUNICATIONS	
MARK S. CONRADI. Comments on the Linear Envelope Detector	165
CHARLES G. MORELAND AND F. I. CARROLL. Spin-Lattice Relaxation Time and NOE Measurements of Urea in Water and in Dimethyl Sulfoxide	167
GEOFFREY BODENHAUSEN, RAY FREEMAN, AND GARETH A. MORRIS. A Simple Pulse Sequence for Selective Excitation in Fourier Transform NMR	171
GÖRAN LINDBLOM, HÅKAN WENNERSTRÖM, AND BJÖRN LINDMAN. Multiple Quantum Transitions for Spin- $\frac{3}{2}$ Nuclei in the NMR Spectra of Lyotropic Liquid Crystals	177
FELIX W. WEHRLI. Spin-Lattice Relaxation Mechanisms of ^9Be in Aqueous Beryllium Nitrate	181
ANNOUNCEMENTS AND NEWS ITEMS	187
ERRATUM	189

NUMBER 2, AUGUST 1976

SUSHIL K. MISRA AND G. R. SHARP. Analysis of EPR Data Characterized by a Spin Hamiltonian with Large Off-Diagonal Elements	191
E. V. GOLDAMMER, H. ZORN, AND A. DANIELS. Proton NMR Relaxation Study on Low-Spin Pyridine Complexes of Ferriporphyrins	199
CLAUDIA A. BUSBY AND DAVID DOLPHIN. Anisochronous Methylene Protons of Metalloporphyrins Bearing Peripheral Alkyl Groups	211
HORACIO A. FARACH, CHARLES P. POOLE, JR., AND ROBERT C. NICKLIN. Antiferromagnetic Exchange in $\beta\text{-FeF}_3 \cdot 3\text{H}_2\text{O}$	221
ROBERT G. C. McELROY AND ROBIN L. ARMSTRONG. Effect of Soft Modes on the Temperature Variation of Nuclear Quadrupole Resonance Frequencies in Antifluorite Structures	231
THOMAS ONAK, JOHN B. LEACH, STEPHEN ANDERSON, MICHAEL J. FRISCH, AND DENNIS MARYNICK. NMR Coupling, Hybrid Orbital Character, and Bond Distances in Boron Hydrides	237
PAUL W. PERCIVAL AND JAMES S. HYDE. Saturation-Recovery Measurements of the Spin-Lattice Relaxation Times of Some Nitroxides in Solution	249

I. Y. WEI AND CHARLES S. JOHNSON, JR. NMR Spectra of Pseudotetrahedral Molecules Dissolved in a Nematic Liquid-Crystal Mixture	259
A. REUVENI AND Z. LUZ. ESR of ^{17}O -Labeled NO_3^{2-} Radicals Trapped in Single Crystals of Potassium Azide	265
A. REUVENI AND Z. LUZ. ESR of NO_3 in Sodium Nitrate	271
G. R. LUCKHURST AND C. ZANNONI. Orientation-Dependent Spin Relaxation. Tri-radical Spin Probes in Anisotropic Environments	275
E. ROLAND MENZEL AND JOHN R. WASSON. ESR Spectra of Powdered Samples of Copper(II)-Doped Bis(diethyldithiocarbamate) nickel(II)—Concentration Dependence of Linewidths	285
ILANA TAMIR. Long-Range Spin-Spin Coupling between <i>N</i> -Methyl and Ring Protons in Some Purines and Pteridines	293
LEE J. TODD, ALLEN R. SIEDLE, GEORGE M. BODNER, STEPHEN B. KAHL, AND JAMES P. HICKEY. An NMR Study of Icosahedral Heteroatom Borane Derivatives	301
L. M. ISHOL, T. A. SCOTT, AND M. GOLDBLATT. Nuclear Spin-Lattice Relaxation in Solid and Liquid $^{15}\text{N}_2$ and $^{14}\text{N}_2$	313
R. B. CREEL, E. DICATO, AND E. VON MEERWALL. A Reliable Method for Measuring Intensity Fractions in Two-Phase NMR Spectra	321
NORBERT MULLER. Solvent Effects on Fluorine Chemical Shifts in Chloroalkanes and Alcohols	327
J. W. HARRELL, JR. Deuterium and Fluorine Spin-Lattice Relaxation in Liquid CDF_3	335
W. T. M. ANDRIESEN. Electron Spin Resonance Magnetic-Field Standard Covering a Wide Field Range	339
L. J. BURNETT AND B. H. MULLER. Spin Relaxation and Molecular Motion in Solid Ethane	343
COMMUNICATIONS	
DANIEL CANET. Systematic Errors Due to Improper Waiting Times in Heteronuclear Overhauser Effect Measurements by the Gated Decoupling Technique	361
WILLIAM B. SMITH AND THOMAS W. PROULX. The Effect of Excess Bromine on the Proton and Carbon-13 NMR of Tetrakis-(<i>p</i> -bromophenyl)-ethylene	365
JOHN D. GRAHAM AND JEROME S. DARBY. Natural Abundance ^{13}C High-Resolution Magnetic Resonance in Plastic Crystals	369

R. K. HARRIS AND B. LEMARIÉ. ^{29}Si and ^{13}C NMR Studies of Organosilicon Chemistry. VI. Chemical Shifts, Coupling Constants, and Relaxation Times for Me_3SiSMe and $(\text{Me}_3\text{Si})_3\text{N}$	371
--	-----

BOOK REVIEW

"Advances in Nuclear Quadrupole Resonance," Volume 2. Edited by J. A. S. SMITH	375
--	-----

NUMBER 3, SEPTEMBER 1976

C. A. FYFE, M. COCIVERA, S. W. H. DAMJI, T. A. HOSTETTER, D. SPROAT, AND J. O'BRIEN. Apparatus for the Measurement of Transient Species and Effects in Flowing Systems by High-Resolution Nuclear Magnetic Resonance Spectroscopy	377
P. A. NARAYANA AND LARRY KEVAN. Analysis of Three-Pulse Electron Spin-Echo Modulation: Phase Reversal	385
PAUL D. SULLIVAN AND LOUIS J. NORMAN. An Electron Spin Resonance Study of the Cation Radicals Derived from Some Bis-(4-hydroxyphenyl) and Bis-(4-methoxyphenyl) Sulfides	395
SUSHIL K. MISRA. Evaluation of Spin-Hamiltonian Parameters from EPR Data by the Method of Least-Squares Fitting	403
S. D. DEVINE. Effect of Strain on the EPR Parameters of Cubic Gd^{3+} in CaF_2 Determined by the UMER Technique	411
S. A. SOJKA, C. F. PORANSKI, JR., AND W. B. MONIZ. Carbon-13 Chemical Shifts of Simple Enols: Detection of Transient Intermediates by Carbon-13 CIDNP	417
J. J. WINDLE. ESR Study of a Novel Fluorinated Nitroxide Biradical	421
HÅKAN WENNERSTRÖM AND JAN ULMÍUS. Proton NMR Bandshapes in Phospholipid Bilayer Vesicles	431
G. FRONZA, R. MONDELLI, G. SCAPINI, G. RONISVALLE, AND F. VITTORIO. ^{13}C NMR of N-Heterocycles. Conformation of Phenothiazines and 2,3-Diazaphenothiazines	437
J. W. LINOWSKI, NAN-I LIU, AND J. JONAS. The Effect of Density and Temperature on the Hydroxyl Proton Chemical Shift in Liquid Ethanol	455
D. C. DENING. Simulation of a Digital Lock-In Amplifier	461
B. W. GOODWIN AND R. WALLACE. Relaxation Studies Using Saturated Bandshapes in High-Resolution NMR. II. First-Order Three and Four Spin- $\frac{1}{2}$ Systems	465
THOMAS W. PROULX AND WILLIAM B. SMITH. The Carbon-13 NMR Spectra of Phenyl-Substituted Methanes, Ethanes, and Ethylenes	477

J. W. EMSLEY AND E. W. RANDALL. The Effect of Vibrational Averaging on the Molecular Structure of Pyrrol- ^{15}N Derived from the NMR Spectra of Nematic Solutions	481
PATRICK S. IRELAND, CHERYL A. DECKERT, AND THEODORE L. BROWN. Manganese-55 NMR Linewidths and Quadrupole Coupling Constants in Solution; Partial Field Gradient Parameters in MN(I) Complexes	485
E. STETTER, H.-M. VIETH, AND K. H. HAUSSEER. ELDOR Studies of Nitroxide Radicals: Discrimination between Rotational and Translational Correlation Times in Liquids	493
D. T. EDMONDS, S. D. GOREN, A. L. MACKAY, A. A. L. WHITE, AND W. F. SHERMAN. The Nuclear Quadrupole Resonance of ^2D and ^{17}O in Ice II	505
COMMUNICATIONS	
STURE FORSÉN, HANS GUSTAVSSON, BJÖRN LINDMAN, AND NILS-OLA PERSSON. Medium Effects in Chlorine Magnetic Resonance	515
R. C. LONG, JR., AND J. H. GOLDSTEIN. DMR Investigation of Alkyl Chain Order in an Oriented Quaternary Potassium Laurate Mesophase	519
G. J. MARTIN, M. BERRY, D. LE BOTLAN, AND B. MECHIN. The Varytemp NMR: A Dynamic Pulse Experiment in Programmed Temperature for Lineshape Study	523
FELIX W. WEHRLI. Temperature-Dependent Spin-Lattice Relaxation of ^6Li in Aqueous Lithium Chloride	527
AUTHOR INDEX FOR VOLUME 23	533

The Subject Index for Volume 23 will appear in the December 1976 issue as part of a cumulative index for the year 1976.

Information for Authors

The *Journal of Magnetic Resonance* includes original papers, both full articles and communications, dealing with the theory, techniques, methods or spectral analysis and interpretation, spectral correlations, and results of magnetic resonance spectroscopy and related fields. Submission of a manuscript to the *Journal* implies that none of the content has been published or is under consideration for publication elsewhere, except as specifically indicated by the author. The Editor seeks the assistance of expert referees in the evaluation of manuscripts of articles, but he alone is responsible for the final decision concerning acceptance.

Communications are preliminary accounts of work of special importance or contain discussion of controversial subjects. Communications must be especially carefully and concisely prepared; since they may not be refereed, it is the responsibility of the author to ensure that the manuscript as originally submitted is free of typographical or substantive errors. To save time in publication, proofs of communications are not sent to the authors for correction.

Fifty reprints of each paper are supplied without charge, and additional reprints may be ordered on a form which is sent to the author. For articles, the reprint order form accompanies the galley proofs which the author receives. The *Journal assesses no page or publication charges*.

All manuscripts and books for review should be sent to the Editor, Wallace S. Brey, Department of Chemistry, University of Florida, Gainesville, Florida 32611.

Arrangement of the Paper

If the paper is lengthy, it should be divided into sections, although it is preferred that the sections not be numbered. Tables are numbered consecutively with *Arabic* numerals and are to be mentioned in order in the text. Each table should be supplied with a title. Figures are also numbered consecutively with *Arabic* numerals and are mentioned in order in the text. Each regular article requires an abstract which should describe concisely the substantive content, the conclusions reached, and the contributions of the research described. Since the abstract may be used directly by Chemical Abstracts and other abstracting services, it must be self-contained, having no references to formulas, equations, or bibliographic citations which appear in the body of the manuscript.

Literature references are cited in numerical order in the text by *in-line, parenthesized, italic* numerals. References to "unpublished" or "to be published" work from the author's laboratory should not be given. However, dissertations may be cited, or papers actually accepted may be referred to as "in press" if the name of the journal is included.

Authors are urged to give careful thought to the logical construction of the manuscript, so that explanatory or parenthetical footnotes need not be employed—where possible, such material should be incorporated in the text. Any footnotes which are indispensable are not intermixed with references, but are indicated in the text by consecutive, superscript numerals, and each footnote will then appear in print at the bottom of the page on which it is cited. Equation numbers are given in *square* brackets to the right of the equation, and references in the text to equations should be in the form "Eq. [3]."

Form of Manuscript

Manuscripts should be submitted in triplicate. The *original typewritten copy* should be supplied; mimeo, electrostatic and similar process reproductions are not usually sufficiently clear. All of the typing must be *double-spaced*, including that of abstract, references, and footnotes, on one side of good quality paper approximately 22 × 28 cm (8.5 × 11 in.) in dimensions. The first line of each paragraph is indented.

Each page of the manuscript should be numbered. The first page contains the article title, the author's name, and affiliation. At the bottom of this page should appear any footnotes to the title (indicated by superscript *, †, ‡); the number of manuscript pages, figures, and tables should also be noted. The second page should contain the abstract of 50–200 words.

Symbols and Abbreviations. The American Chemical Society's Handbook for Authors, 1967 edition, or the Style Manual of the American Institute of Physics should be followed for standard abbreviations, names and symbols for units. Mathematical equations or symbols must be typewritten whenever possible. Greek letters may be identified in pencil in the margin. The author of any manuscript in

which there are mathematical equations or symbols is urged to supply a list of these on a separate sheet for the assistance of the printer in selecting the proper type. The list will not appear in print.

References and Footnotes. References to the literature should be cited in order in the text by in-line, parenthesized numerals. The references themselves are to be typed double-spaced on a separate sheet in numerical order. Each reference contains the author's initials, last name, journal name, volume, initial page number and year in parentheses, *in that order*. The name of the journal is abbreviated in the style of Chemical Abstracts' *Service Source Index* (1969 Edition). For book references, the form is author's name, name of the book in quotation marks, editor's name (if any), edition if other than the first, chapter or page number, publisher's name, place of publication, and year of publication.

Any footnotes which are included are numbered in a sequence separate from the references and must be typed in the manuscript on a separate page.

Tables. Tables should be laid out carefully, so that minimum space is used and entries are accurately grouped and clearly labeled. Usually, a table should be arranged vertically, with more rows than columns. Vertical lines are not used to separate the columns. Each table is numbered with an Arabic numeral, provided with a title, and typed on a separate sheet of paper. Footnotes to the table are placed directly below it and are indicated by superscript, lower-case, italic letters (^a, ^b, ^c). Tables that are longer than two manuscript pages will be reproduced photographically, and should therefore be typed in the exact form desired. All such tables should be carefully checked since errors cannot be corrected in proof.

Figures. Figures must be carefully drawn in black, waterproof drawing ink, to draftsman's standards, with lettering by stencil or drawing machine. Freehand, penciled, or typewritten lettering is not acceptable. Lettering should include numerical scales and units required for the two axes, and should be large enough to be legible after reduction by 50–60%. The illustration copy should be on sheets of the same size as that on which the manuscript is typed. Smaller figures may be mounted on sheets of the required size, and larger originals may be handled by supplying glossy, high-contrast, photographic reductions. The original and two duplicates of each figure are required.

Diagrams. Ink drawings should be supplied for any complex molecular formulas or diagrams involving material which the printer cannot readily set in type.

Proofs. Galley proofs will be sent to the author with reprint order forms. Fifty reprints of each article will be supplied free of charge.

Attention NMR Spectroscopists


Tetramethylsilane, NMR grade guaranteed < 0.1% total impurities downfield from TMS.

Available from stock:

29200-3 Tetramethylsilane, NMR Grade
100g—\$16.00; 500g—\$72.00

11857-0 Hexamethyldisiloxane, NMR Grade
25g—\$12.00; 100g—\$21.50

NOTE: Minimum order \$25.00



PCR, INCORPORATED

Research Chemicals Division

P.O. Box 1466/Gainesville, Florida 32602

(904) 376-7522

